



衢州赛恩电子有限公司

Quzhou Shine Electronics Co.,Ltd.

地址：中国浙江省衢州市经济开发区五环路482号

Address:NO.482 Wuhuan Road,Economic Development Zone,Quzhou,Zhejiang,China.

电话：+86 570 8077058

Tel:+86 570 8077058

网址：www.qzshine.com

Website:www.qzshine.com

传真：+86 570 8799975

Fax：+86 570 8799975

邮箱：admin@qzshine.com

Email:admin@qzshine.com



衢州赛恩电子有限公司

Quzhou Shine Electronics Co.,Ltd.



Quzhou Shine Electronics Co., Ltd. is a leading manufacturer in China, offering a wide range of lamps. Our business concept is on the basis of professional reliability and sincerity.

With more than 400 employees, including more than 50 well educated technicians and engineers in our R&D department, we have a competent team with many years' experience and exact product knowledge. We adopt internationally advanced production technology and equipment.

Our monthly capacity is 3,000,000 pieces of ESL and the monthly production value is USD640,000 for LED lamps.


With a management system complied with ISO9001 and product quality meeting CE, RoHS and UL certificates, Quzhou Shine has established a professional experienced quality control system to ensure the quality, guaranteeing our efficient operations and sustainable growth.

We sincerely look forward to entering into mutually beneficial cooperation with you.






LED Spotlight series



Product	Item NO.	Power	Lumen	Base type	Voltage	PF	Beam angle	CRI	Color temperature	Size
LED spotlight	SN-SP005-COB	5W	450	GU10/GU5.3/ E27/E14	AC100 -260V	> 0.5	38°/60°	80	2700-6500K	D50*H54mm
LED spotlight	SN-SP005-SMD	5W	450	GU10/GU5.3/ E27/E14	AC100 -260V	> 0.5	38°/60°	80	2700-6500K	D50*H54mm
LED spotlight	SN-SP007-COB	7W	630	GU10/GU5.3/ E27/E14	AC100 -260V	> 0.5	38°/60°	80	2700-6500K	D50*H54mm
LED spotlight	SN-SP007-SMD	7W	630	GU10/GU5.3/ E27/E14	AC100 -260V	> 0.5	38°/60°	80	2700-6500K	D50*H54mm



Quzhou Shine Electronics Co.,Ltd.

Address:NO.482 Wuhuan Road,Economic Development Zone,Quzhou,Zhejiang,China.


Tel : +86 570 8077058

Fax : +86 570 8799975

Website:www.qzshine.com

Email:admin@qzshine.com

LED Panel light series



Product	Item No.	Power	Lumen	Voltage	PF	Surface	CRI	Color temperature	Size
LED panel light	SN-PL3030-12W	12W	960	AC100-260v	0.9	2sides	80	2700-6500k	295*295*10mm
LED panel light	SN-PL3030-15W	15W	1200	AC100-260v	0.9	4sides	80	2700-6500k	295*295*10mm
LED panel light	SN-PL3060-18W	18W	1440	AC100-260v	0.9	2sides	80	2700-6500k	295*595*10mm
LED panel light	SN-PL3060-26W	26W	2080	AC100-260v	0.9	2sides	80	2700-6500k	295*595*10mm
LED panel light	SN-PL3060-30W	30W	2400	AC100-260v	0.9	2sides	80	2700-6500k	295*595*10mm
LED panel light	SN-PL6060-36W	36W	2880	AC100-260v	0.9	4sides	80	2700-6500k	595*595*10mm
LED panel light	SN-PL6060-40W	40W	3200	AC100-260v	0.9	4sides	80	2700-6500k	595*595*10mm
LED panel light	SN-PL6060-48W	48W	3840	AC100-260v	0.9	4sides	80	2700-6500k	595*595*10mm
LED panel light	SN-PL30120-36W	36W	2880	AC100-260v	0.9	2sides	80	2700-6500k	295*1195*10mm
LED panel light	SN-PL30120-40W	40W	3200	AC100-260v	0.9	2sides	80	2700-6500k	295*1195*10mm
LED panel light	SN-PL30120-48W	48W	3840	AC100-260v	0.9	2sides	80	2700-6500k	295*1195*10mm



Quzhou Shine Electronics Co.,Ltd.


Address:NO.482 Wuhuan Road,Economic Development Zone,Quzhou,Zhejiang,China.

Tel : +86 570 8077058

Fax : +86 570 8799975


Website:www.qzshine.com

Email:admin@qzshine.com



Product	Item No.	Power	Lumen	Voltage	PF	Beam angle	CRI	Color temperature	Diameter	Hole size
Led glass panel light	SN-GRPL-003	3w	225LM	AC100-260v	>0.9	120°	80	2700-6500k	100mm	75mm
Led glass panel light	SN-GRPL-006	6w	450LM	AC100-260v	>0.9	120°	80	2700-6500k	100mm	75mm
Led glass panel light	SN-GRPL-009	9w	675LM	AC100-260v	>0.9	120°	80	2700-6500k	160mm	125mm
Led glass panel light	SN-GRPL-0012	12w	900LM	AC100-260v	>0.9	120°	80	2700-6500k	160mm	125mm
Led glass panel light	SN-GSPL-003	3w	225LM	AC100-260v	>0.9	120°	80	2700-6500k	100mm	75mm
Led glass panel light	SN-GSPL-006	6w	450LM	AC100-260v	>0.9	120°	80	2700-6500k	100mm	75mm
Led glass panel light	SN-GSPL-009	9w	675LM	AC100-260v	>0.9	120°	80	2700-6500k	160mm	125mm
Led glass panel light	SN-GSPL-0012	12w	900LM	AC100-260v	>0.9	120°	80	2700-6500k	160mm	125mm

LED tube light series



Product	Item No.	Power	Lumen	Voltage	PF	Beam angle	CRI	Color temperature	Size
LED tube light	SN-T8-060-9W-A	8W	720	AC100-260v	0.9	120°	80	2700-6500k	L600*Φ26
LED tube light	SN-T8-090-13W-A	13W	1200	AC100-260v	0.9	120°	80	2700-6500k	L900*Φ26
LED tube light	SN-T8-120-18W-A	18W	1650	AC100-260v	0.9	120°	80	2700-6500k	L1200*Φ26
LED tube light	SN-T8-150-24W-A	24W	2200	AC100-260v	0.9	120°	80	2700-6500k	L1500*Φ26
LED tube light	SN-T8-240-36W-A	36W	3200	AC100-260v	0.9	120°	80	2700-6500k	L2400*Φ26



Quzhou Shine Electronics Co.,Ltd.

Address:NO.482 Wuhuan Road,Economic Development Zone,Quzhou,Zhejiang,China.



Tel : +86 570 8077058

Fax : +86 570 8799975

Website:www.qzshine.com

Email:admin@qzshine.com

LED flood light series



Product	Item NO.	Power	Lumen	LED Chip type	Voltage	PF	CRI	Color temperature	Beam angle	IP degree	Size
LED flood light	SN-FL010	10W	800	Genesis/Epistar/ Bridgelux	AC85-265V	0.95	>80	2700-700K	120°	IP65	115*85* 82MM
LED flood light	SN-FL020	20W	1600	Genesis/Epistar/ Bridgelux	AC85-265V	0.95	>80	2700-700K	120°	IP65	180*140* 105MM
LED flood light	SN-FL030	30W	2400	Genesis/Epistar/ Bridgelux	AC85-265V	0.95	>80	2700-700K	120°	IP65	225*185* 125MM
LED flood light	SN-FL050	50W	4000	Genesis/Epistar/ Bridgelux	AC85-265V	0.95	>80	2700-700K	120°	IP65	285*235* 145MM
LED flood light	SN-FL070	70W	5600	Genesis/Epistar/ Bridgelux	AC85-265V	0.95	>80	2700-700K	120°	IP65	400*285* 105MM
LED flood light	SN-FL080	80W	6400	Genesis/Epistar/ Bridgelux	AC85-265V	0.95	>80	2700-700K	120°	IP65	400*285* 105MM
LED flood light	SN-FL100	100W	8000	Genesis/Epistar/ Bridgelux	AC85-265V	0.95	>80	2700-700K	120°	IP65	400*288* 105MM
LED flood light	SN-FL150	150W	12000	Genesis/Epistar/ Bridgelux	AC85-265V	0.95	>80	2700-700K	120°	IP65	425*325* 195MM
LED flood light	SN-FL200	200W	16000	Genesis/Epistar/ Bridgelux	AC85-265V	0.95	>80	2700-700K	120°	IP65	453*323* 187MM

Quzhou Shine Electronics Co., Ltd.

Address: NO.482 Wuhuan Road, Economic Development Zone, Quzhou, Zhejiang, China.


Tel : +86 570 8077058

Fax : +86 570 8799975

Website: www.qzshine.com

Email: admin@qzshine.com

LED Wall Lamp series



Product	Item NO.	Power	Lumen	Voltage	PF	CRI	Size	Color temperature	Beam angle	IP degree
LED wall lamp	SN-WL012	12W	960	AC85-265V	> 0.95	> 80	200*60mm	2700-7000K	120°	IP65
LED wall lamp	SN-WL024	24W	1920	AC85-265V	> 0.95	> 80	250*70mm	2700-7000K	120°	IP65
LED wall lamp	SN-WL036	36W	2880	AC85-265V	> 0.95	> 80	320*70mm	2700-7000K	120°	IP65
LED wall lamp	SN-WL024-2	24W	1920	AC85-265V	> 0.95	> 80	290*210*60mm	2700-7000K	120°	IP65



Quzhou Shine Electronics Co., Ltd.

Address: NO.482 Wuhuan Road, Economic Development Zone, Quzhou, Zhejiang, China.


Tel : +86 570 8077058

Fax : +86 570 8799975

Website: www.qzshine.com

Email: admin@qzshine.com

LED bulb light series



Product	Item NO.	Material	Power	Lumen	Base type	Voltage	PF	Beam angle	CRI	Color temperature	Size
LED bulb	SN-BL004F	Aluminum +Plastic	4W	340	E27/B22	AC100-240V	> 0.5	270°	80	2700-6500K	D45*H85mm
LED bulb	SN-BL005F	Aluminum +Plastic	5W	425	E27/B22	AC100-240V	> 0.5	270°	80	2700-6500K	D60*H112mm
LED bulb	SN-BL007F	Aluminum +Plastic	7W	595	E27/B22	AC100-240V	> 0.5	270°	80	2700-6500K	D66*H116mm
LED bulb	SN-BL009F	Aluminum +Plastic	9W	765	E27/B22	AC100-240V	> 0.5	270°	80	2700-6500K	D66*H116mm
LED bulb	SN-BL011F	Aluminum +Plastic	11W	935	E27/B22	AC100-240V	> 0.5	270°	80	2700-6500K	D66*H116mm



Quzhou Shine Electronics Co.,Ltd.


Address:NO.482 Wuhuan Road,Economic Development Zone,Quzhou,Zhejiang,China.

Tel : +86 570 8077058

Fax : +86 570 8799975


Website:www.qzshine.com

Email:admin@qzshine.com



Product	Item NO.	Power	Lumen	Size(mm)	Hole size (mm)	Voltage	CRI	Beam angle	Color temperature
LED panel light	SN-RPL-004	4W	320	D90*H21	Φ70	AC85-265V	80	120°	2700-6500K
LED panel light	SN-RPL-006	6W	480	D120*H21	Φ105	AC85-265V	80	120°	2700-6500K
LED panel light	SN-RPL-009	9W	720	D150*H21	Φ130	AC85-265V	80	120°	2700-6500K
LED panel light	SN-RPL-012	12W	960	D170*H21	Φ150	AC85-265V	80	120°	2700-6500K
LED panel light	SN-RPL-015	15W	1200	D195*H21	Φ175	AC85-265V	80	120°	2700-6500K
LED panel light	SN-RPL-018	18W	1440	D225*H21	Φ200	AC85-265V	80	120°	2700-6500K
LED panel light	SN-SPL-004	4W	320	90*90*H21	72*72	AC85-265V	80	120°	2700-6500K
LED panel light	SN-SPL-006	6W	480	120*120*H21	105*105	AC85-265V	80	120°	2700-6500K
LED panel light	SN-SPL-009	9W	720	150*150*H21	130*130	AC85-265V	80	120°	2700-6500K
LED panel light	SN-SPL-012	12W	960	170*170*H21	150*150	AC85-265V	80	120°	2700-6500K
LED panel light	SN-SPL-015	15W	1200	195*195*H21	175*175	AC85-265V	80	120°	2700-6500K
LED panel light	SN-SPL-018	18W	1440	225*225*H21	200*200	AC85-265V	80	120°	2700-6500K

LED filament bulb series



Product	Item NO.	Power	Lumen	Base type	Voltage	PF	Beam angle	CRI	Color temperature	Size
LED filament bulb	SN-FB002-C	2W	230-250	E14	85-170V/ 170-250V	0.5	360°	> 80	2800-3200/ 6000-6500K	35*140mm
LED filament bulb	SN-FB004-C	4W	400-420	E14	85-170V/ 170-250V	0.5	360°	> 80	2800-3200/ 6000-6500K	35*140mm
LED filament bulb	SN-FB004-B	4W	400-420	E27	85-170V/ 170-250V	0.5	360°	> 80	2800-3200/ 6000-6500K	60*110mm
LED filament bulb	SN-FB006-B	6W	620-650	E27	85-170V/ 170-250V	0.5	360°	> 80	2800-3200/ 6000-6500K	60*110mm
LED filament bulb	SN-FB008-B	8W	810-850	E27	85-170V/ 170-250V	0.5	360°	> 80	2800-3200/ 6000-6500K	60*110mm



Quzhou Shine Electronics Co.,Ltd.


Address:NO.482 Wuhuan Road,Economic Development Zone,Quzhou,Zhejiang,China.

Tel : +86 570 8077058

Fax : +86 570 8799975

Website:www.qzshine.com



Email:admin@qzshine.com



Product	Item NO.	Material	Power	Lumen	Base type	Voltage	PF	Beam angle	CRI	Color temperature	Size
LED tube	SN-T8-060-9W-B	Glass	9W	810	G13	AC180-265V	> 0.5	330°	80	2700-6500K	D26*L600mm
LED tube	SN-T8-090-13W-B	Glass	14W	1260	G13	AC180-265V	> 0.5	330°	80	2700-6500K	D26*L900mm
LED tube	SN-T8-120-18W-B	Glass	18W	1620	G13	AC180-265V	> 0.5	330°	80	2700-6500K	D26*L1200mm
LED tube	SN-T8-150-22W-B	Glass	22W	1980	G13	AC180-265V	> 0.5	330°	80	2700-6500K	D26*L1500mm



LED flood light series



Product	Item NO.	Power	Lumen	LED Chip type	Voltage	PF	CRI	Color temperature	Beam angle	IP degree	Size
LED flood light	SN-FL010	10W	800	Genesis/Epistar/ Bridgelux	AC85-265V	0.95	>80	2700-700K	120°	IP65	115*85* 82MM
LED flood light	SN-FL020	20W	1600	Genesis/Epistar/ Bridgelux	AC85-265V	0.95	>80	2700-700K	120°	IP65	180*140* 105MM
LED flood light	SN-FL030	30W	2400	Genesis/Epistar/ Bridgelux	AC85-265V	0.95	>80	2700-700K	120°	IP65	225*185* 125MM
LED flood light	SN-FL050	50W	4000	Genesis/Epistar/ Bridgelux	AC85-265V	0.95	>80	2700-700K	120°	IP65	285*235* 145MM
LED flood light	SN-FL070	70W	5600	Genesis/Epistar/ Bridgelux	AC85-265V	0.95	>80	2700-700K	120°	IP65	400*285* 105MM
LED flood light	SN-FL080	80W	6400	Genesis/Epistar/ Bridgelux	AC85-265V	0.95	>80	2700-700K	120°	IP65	400*285* 105MM
LED flood light	SN-FL100	100W	8000	Genesis/Epistar/ Bridgelux	AC85-265V	0.95	>80	2700-700K	120°	IP65	400*288* 105MM
LED flood light	SN-FL150	150W	12000	Genesis/Epistar/ Bridgelux	AC85-265V	0.95	>80	2700-700K	120°	IP65	425*325* 195MM
LED flood light	SN-FL200	200W	16000	Genesis/Epistar/ Bridgelux	AC85-265V	0.95	>80	2700-700K	120°	IP65	453*323* 187MM

Quzhou Shine Electronics Co., Ltd.

Address: NO.482 Wuhuan Road, Economic Development Zone, Quzhou, Zhejiang, China.


Tel : +86 570 8077058

Fax : +86 570 8799975

Website: www.qzshine.com

Email: admin@qzshine.com

T-shape Lamp series



Product	Item NO.	Material	Power	Lumen	Base type	Voltage	PF	Beam angle	CRI	Color temperature	Size
LED bulb	SN-TBL005	Aluminum +Plastic	5W	580	E27/B22	AC100-240V	> 0.9	270°	70/80	2700-6500K	D41*H109mm
LED bulb	SN-TBL007	Aluminum +Plastic	7W	710	E27/B22	AC100-240V	> 0.9	270°	70/80	2700-6500K	D41*H109mm



Quzhou Shine Electronics Co.,Ltd.

Address:NO.482 Wuhuan Road,Economic Development Zone,Quzhou,Zhejiang,China.


Tel : +86 570 8077058

Fax : +86 570 8799975

Website:www.qzshine.com

Email:admin@qzshine.com

Led dimmable spotlight



Model	Body Color	Color Temperature	Power (W)	LED Qty	CRI	PF	Luminous Flux(LM)	Base	Beam Angle (Degree)	Voltage(V)	Dimmable	Life Span (hour)
SN-SP005-SMD	White /Grey	2850-3150K 4000-4500K 6000-6500K	5W	5	>70 >80	>0.9	400LM	GU10 MR16	25°45°60°	AC85-265V	NO	30000
SN-SP005-SMD (Dimmable)	White /Grey	2850-3150K 4000-4500K 6000-6500K	5W	5	>70 >80	>0.9	400LM	GU10 MR16	25°45°60°	AC85-140V AC175-265V	YES	30000
SN-SP007-SMD	White /Grey	2850-3150K 4000-4500K 6000-6500K	7W	7	>70 >80	>0.9	550LM	GU10 MR16	25°45°60°	AC85-265V	NO	30000
SN-SP007-SMD (Dimmable)	White /Grey	2850-3150K 4000-4500K 6000-6500K	7W	7	>70 >80	>0.9	550LM	GU10 MR16	25°45°60°	AC85-140V/ AC175-265V	YES	30000


Wide dimming range compatible to different dimmers

Quzhou Shine Electronics Co.,Ltd.

Address:NO.482 Wuhuan Road,Economic Development Zone,Quzhou,Zhejiang,China.

Tel : +86 570 8077058
 Fax : +86 570 8799975
 Website:www.qzshine.com
 Email:admin@qzshine.com

Led dimmable bulb



Model	Body Color	Color Temperature	Power (W)	LED Qty	CRI	PF	Luminous Flux(LM)	Base	Beam Angle (Degree)	Voltage(V)	Dimmable	Life Span (hour)
G45 (Dimmable)	White	2850-3150K 4000-4500K 6000-6500K	4W	4	>70 >80	>0.8	320	E27	270	AC175-265V	YES	30000
G45 (Dimmable)	White	2850-3150K 4000-4500K 6000-6500K	5W	5	>70 >80	>0.8	400	E27	270	AC175-265V	YES	30000
A50 (Dimmable)	White	2850-3150K 4000-4500K 6000-6500K	6W	6	>70 >80	>0.8	480	E27	270	AC175-265V	YES	30000
A60 (Dimmable)	White	2850-3150K 4000-4500K 6000-6500K	7W	7	>70 >80	>0.8	560	E27	270	AC175-265V	YES	30000
A60 (Dimmable)	White	2850-3150K 4000-4500K 6000-6500K	8W	8	>70 >80	>0.8	640	E27	270	AC175-265V	YES	30000
A65 (Dimmable)	White	2850-3150K 4000-4500K 6000-6500K	9W	9	>70 >80	>0.8	720	E27	270	AC175-265V	YES	30000
A65 (Dimmable)	White	2850-3150K 4000-4500K 6000-6500K	10W	10	>70 >80	>0.8	800	E27	270	AC175-265V	YES	30000
A65 (Dimmable)	White	2850-3150K 4000-4500K 6000-6500K	11W	11	>70 >80	>0.8	860	E27	270	AC175-265V	YES	30000
A65 (Dimmable)	White	2850-3150K 4000-4500K 6000-6500K	12W	12	>70 >80	>0.8	950	E27	270	AC175-265V	YES	30000


Wide dimming range compatible to different dimmers

Quzhou Shine Electronics Co.,Ltd.

Address:NO.482 Wuhuan Road,Economic Development Zone,Quzhou,Zhejiang,China.


Tel : +86 570 8077058
 Fax : +86 570 8799975
 Website:www.qzshine.com
 Email:admin@qzshine.com

Led emergency bulb



Model	Body Color	Color Temperature	Power (W)	LED Qty	CRI	PF	Luminous Flux(LM)	Base	Beam Angle (Degree)	Voltage(V)	Dimmable	Life Span (hour)
SN-BL005	White	2850-3150K 4000-4500K 6000-6500K	5W	20	>70 >80	>0.5	400LM	E27	150°	AC85-265V	NO	30000


Continue working for 6 hours when electricity off.



Quzhou Shine Electronics Co.,Ltd.

Address:NO.482 Wuhuan Road,Economic Development Zone,Quzhou,Zhejiang,China.

Tel : +86 570 8077058
 Fax : +86 570 8799975
 Website:www.qzshine.com
 Email:admin@qzshine.com



Model	Body Color	Color Temperature	Power (W)	LED Qty	CRI	PF	Luminous Flux(LM)	Base	Beam Angle (Degree)	Voltage(V)	Dimmable	Life Span (hour)
SN-BL004 (Sensor)	White/blue and white porcelain	2850-3150K 4000-4500K 6000-6500K	4W	18	>70 >80	>0.9	320LM	E27	120°	AC175 -265V	NO	30000
SN-BL007 (Sensor)	White/blue and white porcelain	2850-3150K 4000-4500K 6000-6500K	7W	30	>70 >80	>0.9	560LM	E27	120°	AC175 -265V	NO	30000

Sensing Distance:5~8m High Sensitivity Detection angle:360°




Quzhou Shine Electronics Co.,Ltd.

Address:NO.482 Wuhuan Road,Economic Development Zone,Quzhou,Zhejiang,China.

Tel : +86 570 8077058
 Fax : +86 570 8799975
 Website:www.qzshine.com
 Email:admin@qzshine.com

LED multifunctional panel



Model	Body Color	Color Temperature	Power (W)	LED Qty	CRI	PF	Luminous Flux(LM)	Beam Angle (Degree)	Voltage(V)	Dimmable	Life Span (hour)
SN-PL3060-20W (Multifunction)	White/Silver	2850-3150K 4000-4500K 6000-6500K	20W	4014 (360)Pcs	>80	>0.9	≥75	120°	AC85-265V	YES	30000
SN-PL6060-40W (Multifunction)	White/Silver	2850-3150K 4000-4500K 6000-6500K	40W	4014 (360)Pcs	>80	>0.9	≥75	120°	AC85-265V	YES	30000

Luminance and color temperature dimmable by remote control




Quzhou Shine Electronics Co.,Ltd.

Address:NO.482 Wuhuan Road,Economic Development Zone,Quzhou,Zhejiang,China.


Tel : +86 570 8077058
 Fax : +86 570 8799975
 Website:www.qzshine.com
 Email:admin@qzshine.com

New led sensor tube



Model	Size	Body Color	Color Temperature	Power (W)	LED Qty	CRI	PF	Luminous Flux(LM)	Beam Angle (Degree)	Voltage(V)	Dimmable	Life Span (hour)
SN-T8-060-9WA (Sensor)	L600 *Φ26	Silver+ White	2850-3150K 4000-4500K 6000-6500K	9W	48	>70 >80	>0.9	800LM	120°	AC85-265V	NO	30000
SN-T8-090-14WA (Sensor)	L900 *Φ26	Silver+ White	2850-3150K 4000-4500K 6000-6500K	14W	72	>70 >80	>0.9	1200LM	120°	AC85-265V	NO	30000
SN-T8-120-18WA (Sensor)	L1200 *Φ26	Silver+ White	2850-3150K 4000-4500K 6000-6500K	18W	96	>70 >80	>0.9	1600LM	120°	AC85-265V	NO	30000
SN-T8-150-23WA (Sensor)	L1500 *Φ26	Silver+ White	2850-3150K 4000-4500K 6000-6500K	23W	120	>70 >80	>0.9	2000LM	120°	AC85-265V	NO	30000

Radar sensor with lumen I: 3% ; lumen II: 100%.



Quzhou Shine Electronics Co.,Ltd.

Address:NO.482 Wuhuan Road,Economic Development Zone,Quzhou,Zhejiang,China.

Tel : +86 570 8077058
 Fax : +86 570 8799975
 Website:www.qzshine.com
 Email:admin@qzshine.com